



LingTong Update Information Of Metal Actual Market

A door to the real China metal market, we provide accurate information of metal actuals' price

Foshan Lingtong Metal Information Co., Ltd

Service line: +86-0757-85567148 Fax: +86-0757-85512443 85573188

Website: www.lingtonginfo.com E-mail: Fslingtongmetal@hotmail.com

Notice: the price of copper cathode Starting point of price fluctuation range is adjusted to 50 yuan / ton from January 1, 2020.

Note : prices with the mark "*" include tax invoice cost					
January 09, 2020 RMB/T, 1ton≈2204.62lbs					
Copper					
South China(Nanhai)					
copper cathode(domestic standard) *	48750-48950	+100	H65copper strap(0.3-0.8mm,y2)	44900-45200	0
copper cathode(domestic standard)	45650-45850	+100	H62copper strap(0.18-0.25mm.y.y2)	38100-38400	0
oxygen free rod 8mm	46900-47100	+100	rod brass(14mm-120mm)	34800-35000	+100
low-oxygen copper rod 8mm	45800-46000	+100	clean copper clippings	43900-44100	+100
copper wire (1.13-2.52mm)	47000-47200	+100	high grade phosphor copper clippings	47800-48000	+100
copper wire 2.6mm	46900-47100	+100	tinned phosphor-copper clippings	42900-43100	+100
1#bare bright	43900-44100	+100	tinned brass clippings	31900-32100	+100
clean cable nodules	44200-44400	+100	65 brass clippings (clean)	34000-34200	+100
candy	43300-43500	+100	62 brass clippings (clean)	33200-33400	+100
tube of copper radiators(clean)	42800-43000	+100	H59 honey (impurity rate ≈7%)	23400-23600	+100
USA 2#copper (94-95%)	41100-41400	+100	USA honey (Fe < 2%)	32800-33000	+100
2#copper(92-93%)	40100-40400	+100	USA brass radiator	31700-31900	+100
motor copper(91-92%)	39700-40000	+100	Al/Cu radiator (Cu≈45% Al≈53%)	24100-24300	0
mixed copper scrap (79-81%)	31800-32000	+100	irony al/cu radiator	22500-22700	0
South China (Qingyuan)					
1#bare bright	43700-43900	+100	clean tinned copper wire	42500-42700	+100
tube of copper radiators (no rope)	42600-42800	+100	clean tinned copper net	40700-40900	+100
copper transformer (96%)	41600-41800	+100	tinned copper scrap (90-91%)	38200-38400	+100
copper transformer (94-95%)	40900-41100	+100	lead-coated copper wire	41900-42100	+100
clean copper nodules (95-96%)	41200-41500	+100	copper clad laminate Cu≈45%	18500-18700	0
motor copper(90-91%)	39000-39300	+100	copper brick(93%)	40000-40200	+100
East China (ShangHai)					
copper cathode *	48800-49000	+100	1#bare bright	44400-44600	+100
oxygen free rod 8mm *	50000-50200	+100	2#copper (94-95%)	41800-42100	+100
low-oxygen copper rod 8mm *	49000-49200	+100	American honey (Fe < 3%)	32300-32500	+100
TaiZhou, YongKang (Zhejiang Province)					
low-oxygen copper rod 8mm	45900-46100	+100	copper transformer (Cu≈95%)	41900-42100	+100
1#bare bright	44100-44300	+100	motor copper(92-93%)	40200-40500	+100
candy	43800-44000	+100	burnt wire(97-98%)	42800-43100	+100
tube of copper radiators (clean)	43100-43300	+100	American honey (Fe < 3%)	32000-32200	+100
2#copper (94-95%)	41300-41600	+100	Al/Cu radiator (Cu≈48% Al≈50%)	25100-25300	0
clean cable nodules	44500-44700	+100	irony al/cu radiator (Cu≈48% Al≈44% iron≈	23500-23700	0
North China (TianJin, BaoDing)					
low-oxygen copper rod 8mm	46000-46200	+100	2#copper(94-96%)	41400-41700	+100
1#bare bright	44100-44300	+100	motor copper(92-93%)	40600-40900	+100
1#copper 97%	43600-43800	+100	Al/ Cu radiator(Cu≈45% Al≈53%)	24100-24300	0
burnt wire(95-94%)	41800-42100	+100			

Copy right 2006. All right reserved. No part of this publication may be reproduced or transmitted by any means without written permission of the publisher.



LingTong Update Information Of Metal Actual Market

A door to the real China metal market, we provide accurate information of metal actuals' price

Foshan Lingtong Metal Information Co., Ltd

Service line: +86-0757-85567148 Fax: +86-0757-85512443 85573188

Website: www.lingtonginfo.com E-mail: Fslingtongmetal@hotmail.com

Shredded Materials

shredded copper (91-92%)	40100-40400	+100	shredded tense (Al 93-95%) *	12550-12750	0
shredded copper (89-90%)	39300-39600	+100	shredded tense (91-93%)	11150-11350	0
chopped copper nodules (90-92%)	39700-39900	+100	shredded taint (90-92%)	10350-10550	0
shredded brass (Fe≤3%)	30900-31100	+100	shredded stainless steel Ni≈7.6-7.8%	8400-8600	+ 50
shredded brass radiator	26300-26500	+100	shredded stainless steel Ni≈7.4-7.6%	8200-8400	+ 50
shredded zinc (84-86%)	13750-13950	0	shredded lead (large size)	13000-13200	+ 50

Aluminum

South China(Nanhai)

domestic A00 (delivered to factory) *	14660-14760	- 20	Al ingot from Chalco(south China)	14460	- 90
Alumina *	2350-2450	0	electric alum rod coil9.5mm	15450-15550	0
import 6063 extrusion	11350-11550	0	electrophoresis alum profiles	20150-20350	0
domestic clean 6063 extrusion	11850-12050	0	spray-painting alum profiles	19650-19850	0
domestic 6063 extrusion scrap	10700-10900	0	frosted alum profiles	18750-18950	0
clean tablet(litho sheet)	11750-11950	0	Al ingot(made by Al radiator)	12600-12800	0
shredded aluminum from radiator(88-90%)	10150-10350	0	EC wire	12550-12750	0
aluminum from radiator(85-87%)	9650-9850	0	clean Al from ACSR	12500-12700	0
bulk UBC	9200-9400	0			

South China (Qingyuan)

clean industrial castings	11050-11250	0	aluminum transformer (94-95%)	11150-11300	0
industrial castings (Fe 6%-8%)	10150-10350	0	UBC Baled Densified (impurity≤4%)	9000-9100	0

Other regions

Shanghai domestic A00 *	14450-14550	+ 30	Tianjin tense (Fe < 3%)	10950-11150	0
Taizhou pure alumnium wire	12350-12550	0	Taizhou tense (Fe < 3%)	11050-11250	0
Taizhou clean 6063 extrusion scrap	11000-11200	0	Taizhou Al ingot(made by Al radiator)	12400-12600	0
Taizhou aluminum from radiator(89%)	9950-10150	0			

Alloy

South China(Nanhai)

high grade alum alloy ADC12 *	16000-16200	0	3# zinc alloy *	19450-19650	0
standard alum alloy ADC12	14750-14950	0	5# zinc alloy	17000-17200	0
alum alloy 7#	13300-13500	0	import 6061 aluminum extrusion	10050-10250	0
553# domestic silicon metal	10800-11000	0	441# domestic silicon metal	11900-12100	0

Copy right 2006. All right reserved. No part of this publication may be reproduced or transmitted by any means without written permission of the publisher.



LingTong Update Information Of Metal Actual Market

A door to the real China metal market, we provide accurate information of metal actuals' price

Foshan Lingtong Metal Information Co., Ltd

Service line: +86-0757-85567148 Fax: +86-0757-85512443 85573188

Website: www.lingtonginfo.com E-mail: Fslingtongmetal@hotmail.com

Stainless steel

South China(Nanhai)

1# Jin Chuan nickel plates *	116000-117000	+2500	304/2B cold rolled sheet	13300-13500	0
316 stainless steel scrap	12800-13000	+100	304 No.1 hot rolled sheet	12350-12650	0
imported 304sabot18/8	9150-9350	+ 50	304 hot rolled narrow steel strip	12050-12150	0
304 mix scrap edge	9050-9250	+ 50	201 No.1 hot rolled sheet	6350-6550	0
304 clean scrap edge	9350-9450	+ 50	201 hot rolled narrow steel strip	6050-6350	0
304 steel scrap with plastic film	9150-9250	+ 50	430/2B cold rolled sheet	7100-7200	0
301 scrap	7600-7800	+ 50	202 stainless steel scrap (Ni≈4%)	4600-4800	0
201 clean scrap edge	4150-4250	0	430 clean scrap edge	3300-3400	0
201 SS with plastic film/pipe scrap	3750-3950	0	430 steel scrap with plastic film	3100-3200	0
201 mix steel scrap	3550-3650	0	409 steel scrap with plastic film	2900-3000	0

TaiZhou,YongKang (Zhejiang Province)

1# nickel plates (Shanghai)	115500-116500	+2500	430 solids	2950-3150	0
316 stainless clips (Ni10Mo2)	12600-12800	+100	202stainless steel scrap (Ni≈4%)	4700-4800	0
imported 304 sabot (Ni≈8.1-8.2%)	9350-9550	+ 50	201 leftover material	3800-4000	0
domestic 304sabot (Ni≈7.6-7.8%)	8950-9150	+ 50	201 old pipe scrap	3450-3650	0

Zinc, Lead, Tin

South China(Nanhai)

nanhua brand 0#zinc *	19440-19640	- 70	1#tin ingot(yunnan) *	141500-143500	+500
electrolytical 0#zn (Guangxi, Yunnan)	18330-18530	+ 10	1#electrolysis lead ingot *	14950-15150	+ 50
electrolytical 0#zn (Guangxi, Yunnan)	17130-17330	+ 10	clean lead sheath from cable	14050-14250	+ 50
electrolytic1#Zn(yunnan, guangxi,hunan)	17080-17280	+ 10	1#Magnesium ingot(Henan,Shanxi)	15400-15500	0

Other regions

Shanghai electrolytical 0#Zn Ingot	18540-18740	- 70	Shanghai1# lead	15000-15200	+ 50
Shanghai 1# tin *	141000-143000	+500	Taizhou lead sheet	13850-14050	+ 50

Ferrous & Plastics

South China(Nanhai)

Scrap Iron(leftover material)	2180-2230	+ 10	cold rolled sheet(anshan) 1.0mm	4580-4630	- 10
Scrap Iron(thickness≤4mm)	2130-2180	+ 10	Q235Φ6.5mm	4130-4180	0
stainless clippings (wind cutting)	2100-2150	+ 10	HRB335(shaoguan)12mm	4360-4410	+ 10
stainless shearings (thickness≥4mm)	2040-2090	+ 10	HRB335(shaoguan)18-25mm	4120-4170	+ 10
cast iron	2160-2210	+ 10	electric motor(Cu≈11%Fe≈84%)	5790-5890	+ 10
mix steel scrap	1610-1660	+ 10	electric motor(Cu≈13%Fe≈78%Al≈5%)	6860-6960	+ 10

TaiZhou,YongKang (Zhejiang Province)

scrap iron (leftover material)	2360-2410	+ 10	mix steel scrap	1950-2000	+ 10
motor iron	2260-2310	+ 10	electric motor(Cu≈9-10%)	5350-5370	+ 10

South China (Qingyuan)

motor iron	2140-2190	+ 10	clean white PE foam	7180-7280	0
clean black PVC plastic husk(small)	2150-2250	0	high-pressure PE(clean plastic husk)	6000-6100	0
clean white PVC plastic husk	3300-3400	0	high-pressure & high-temperature PE h	2850-2950	0
clean greyish-white PVC plastic husk	3200-3300	0	high-pressure fragmentized PE(humidit	2950-3050	0
clean PVC plastic husk (pigment)	2750-2850	0	submerged materials (clean plastic husk)	3250-3350	0
clean black PVC plastic husk (large)	2950-3050	0	flame retardant materials	45000-46000	0
hard PVC plastic aggregates (blue transpare	6150-6250	0	flame retarded PVC sheath	1200-1300	0



LingTong Update Information Of Metal Actual Market

A door to the real China metal market, we provide accurate information of metal actuals' price

Foshan Lingtong Metal Information Co., Ltd

Service line: +86-0757-85567148 Fax: +86-0757-85512443 85573188

Website: www.lingtonginfo.com E-mail: Fslingtongmetal@hotmail.com

Others

Rare Metals

Fe mo60 *	106000-107000	0	1#chromium *	53000-54000	0
Jinchuan 1#cobalt *	282000-285000	0	electrolytic manganese *	10500-10700	+100

CIF China (Exclude customs)

USA 1#Bare bright	6060-6080\$/T	+ 30	USA 6063 Alum Extrusion	1580-1600\$/T	- 15
USA cliff/birch (94-96%)	5600-5630\$/T	+ 30	USA clean taint	1330-1350\$/T	- 10
USA honey (Fe < 3%)	3740-3760\$/T	+ 20	zorba (Al 93-95%)	1400-1420\$/T	- 15
USA clean ocean	3430-3450\$/T	+ 15	USA ACSR (Al68%)	1115-1135\$/T	- 10
USA304ss18-8	1370-1390\$/T	+ 20	USA clean Al Radiator	1295-1315\$/T	- 10

Currency rate	USD	Inverse	GBP	Inverse	EUR	Inverse	AUD	Inverse
CNY	0.14400	6.9444	0.10967	9.1183	0.12931	7.7333	0.20925	4.7789

Copy right 2006. All right reserved. No part of this publication may be reproduced or transmitted by any means without written permission of the publisher.